

1. (Amended) An information storage medium comprising:

a plurality of unit audio information to be reproduced independently of each other;

aggregate audio information each including one or more of the unit audio information;

unit attribute information indicating attributes of the unit audio information included in the aggregate audio information; and

aggregate attribute information including information which has the same contents of the unit attribute information corresponding to the aggregate audio information recorded on the storage medium, collectively recorded at a location where no aggregate audio information is recorded.

4. (Amended) A reproduction apparatus for an information storage medium comprising: a plurality of unit audio information to be reproduced independently of

each other; aggregate audio information each including one or more of the unit audio information; unit attribute information indicating attributes of the unit audio information included in the aggregate audio information; and aggregate attribute information including information which has the same contents of the unit attribute information corresponding to the aggregate audio information recorded on the storage medium, collectively recorded at a location where no aggregate audio information is recorded, the apparatus comprising:

a reading unit for reading information from the information storage medium;

a storage unit for storing the aggregate attribute information read by the reading unit;

an input unit for receiving, from a user, a reproduction instruction

designating a plurality of unit audio information to be reproduced successively; and  
a reproduction unit for setting the attribute for the reproduction based on the aggregate attribute information stored in the storage unit and for reproducing the unit audio information designated by the user in accordance with the attribute set, wherein said reproduction unit comprising:

an obtaining unit for obtaining the attribute corresponding to each of the plurality of unit audio information designated by the user from the aggregate attribute information stored in the storage unit;

a determining unit for determining whether or not the obtained attributes of the unit audio information to be successively reproduced are identical; and

an attribute change unit for starting an attribute setting of the unit audio information to be reproduced next immediately after the reproduction of the unit audio information currently reproduced, if the determining unit determines that the attributes are different.

7. (Amended) A reproduction apparatus for an information storage medium comprising: a plurality of unit audio information to be reproduced independently of each other; aggregate audio information each including one or more of the unit audio information; and unit attribute information indicating attributes of the unit audio information included in the aggregate audio information, the apparatus comprising:

a reading unit for reading information from the information storage medium;

a table producing unit for obtaining the unit attribute information corresponding to the aggregate audio information recorded on the storage medium from the reading unit and for producing an aggregate attribute information table

aggregating the unit attribute information collectively;

a storage unit for storing the aggregate attribute information table produced by the table producing unit;

an input unit for receiving, from a user, a reproduction instruction designating a plurality of the unit audio information to be reproduced successively; and

a reproduction unit for setting the attribute for the reproduction based on the aggregate attribute information table stored in the storage unit and for reproducing the unit audio information designated by the user in accordance with the attribute set, wherein said reproduction unit comprising:

C3 an obtaining unit for obtaining the attributes corresponding to each of the plurality of unit audio information designated by the user from the aggregate attribute information table stored in the storage unit;

a determining unit for determining whether or not the obtained attributes of the unit audio information to be successively reproduced are identical; and

an attribute change unit for starting an attribute setting of the unit audio information to be reproduced next immediately after the reproduction of the unit audio information currently reproduced, if the determining unit determines that the attributes are different.

C4 10. (Amended) A reproduction method of an information storage medium comprising: a plurality of unit audio information to be reproduced independently of each other; aggregate audio information each including one or more of the unit audio information; unit attribute information indicating attributes of the unit audio information included in the aggregate audio information; and aggregate attribute information including information which has the same contents of the unit

USSN: 09/131,941

Group No. 2651

Examiner: Psitos

Page 5

attribute information corresponding to the aggregate audio information recorded on the storage medium, collectively recorded at a location where no aggregate audio information is recorded, the method comprising the steps of:

reading the aggregate attribute information from the information storage medium to store the read information into a storage unit;

receiving, from a user, a reproduction instruction designating a plurality of unit audio information to be reproduced successively;

setting the attribute for the reproduction based on the aggregate attribute information stored in the storage unit; and

reproducing the unit audio information designated by the user in accordance with the attribute set, wherein said reproducing step comprising the steps of:

obtaining the attributes corresponding to each of the plurality of unit audio information designated by the user from the aggregate attribute information stored in the storage unit;

determining whether or not the attributes of the unit audio information to be reproduced successively are identical; and

starting an attribute setting of the unit audio information to be reproduced next immediately after the reproduction of the unit audio information currently reproduced, if it is determined in the determining step that the attributes are different.

Sub 57  
13. (Amended) A reproduction method of an information storage medium comprising: a plurality of unit audio information to be reproduced independently of each other; aggregate audio information each including one or more of the unit audio information; and unit attribute information indicating attributes of the unit audio information included in the aggregate audio information, the apparatus

USSN: 09/131,941

Group No. 2651

Examiner: Psitos

Page 6

comprising:

reading the unit attribute information corresponding to the aggregate audio information recorded on the storage medium to produce an aggregate attribute information table aggregating the unit attribute information collectively;

storing the aggregate attribute information table produced into a storage unit;

receiving, from a user, a reproduction instruction designating a plurality of unit audio information to be reproduced successively;

setting the attribute for the reproduction based on the aggregate attribute information table stored in the storage unit; and

reproducing the unit audio information designated by the user in accordance with the attribute set, wherein said reproducing step comprising the steps of:

obtaining the attributes corresponding to each of the plurality of unit audio information designated by the user from the aggregate attribute information table stored in the storage unit;

determining whether or not the attributes of the unit audio information to be successively reproduced are identical; and

starting an attribute setting of the unit audio information to be reproduced next immediately after the reproduction of the unit audio information currently reproduced, if it is determined in the determining step that the attributes are

~~different.~~